Ref #	Hits	Search Query	DBs	Default Operat or	Plura Is	Time Stamp
S1	1	WO-2003013102-\$.did.	DERWEN T	OR	ON	2007/02/12 12:58
S2	1	"20040143592"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/12 08:22
S3	1	("20030149755") PN.	US-PGP UB; USPAT; USOCR	OR	OFF	2007/02/12 08:22
S4	0	"250040267945"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/12 12:59
S5	1	"20040267945"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/12 12:59

	S6	100	(("(6370144") or	US-PGP	OR	OFF	2007/02/12	
			("6389031") or	UB;			14:07	
			("20040143592") or	USPAT;				l
			("6449283") or	USOCR				
			("5638364") or					
			("5918002") or					
			("5778180") or					
		1	("6470389") or					l
			("20030169783") or					
			("6081511") or					
			("5943317") or					
			("20040267945") or					
			("5483524") or					
		Ì	("5889770") or					
			("6182146") or					
			(`"5949780") or					
			("6055561") or		1			
			("6262984") or					
			("6470496") or				. ,	
	•		("6643278") or					
		,	("20050021491") or					
			("5379297") or					
			("5852601") or					ĺ
			("6169843") or					
			("5457687") or					
			("6118763") or					
			("20050283536") or				•	
		.,	("4962499") or		,			
			("5003583") or					
		j	("5430719") or					
			("5594869") or					
			("5640395") or					
			("5650993") or					
			("5701301") or	•				ĺ
			("6295295") or			,		ĺ
			("6300887") or					
			("6904057") or					
			("7089304") or					
			("20020085565") or					
			("20030046409") or			,		ĺ
			("20050132219") or					ĺ
			("20060039372") or					ĺ
			("20060215544") or					
			("6038231") or					
			("5222063") or					
			("5450399") or					
			("5909468") or					
			("7120169") or				·	
			("6118792") or			`		
	2/22/200	7 9:00:43 AM	_("5455863")_or				Page 2	
į	C:\Docur	nents and Sett	ingstrings 25 16") Ducuments EAST Wo	rkspaces\10670	901.wsp		r age z	
			("5689563") or	·				
1		, , ,	/"" /"IIII 4 ()!! \ ~ ~ ~		, !			•

S7	0	("wo-200056024-\$.did"). PN.	DERWEN T	OR	OFF	2007/02/12 14:17
S8	0	wo-200056024-\$.did	DERWEN T	OR	ON	2007/02/12 14:35
S9	0	wo-2000056024-\$.did	DERWEN T	0,R	ON	2007/02/12 14:19
S10	1	(("5832233") or ("2001043611")).PN.	US-PGP UB; USPAT; USOCR	OR	OFF	2007/02/12 14:34
S11	0	wo-199818241-\$.did.	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/12 14:35
S12	0	wo-199818241-\$.did.	US-PGP UB; USPAT; USOCR; DERWEN T	OR	ON	2007/02/12 14:35
S13	1	wo-200056024-\$.did.	DERWEN T	OR	ON	2007/02/12 14:35
S14	`0	wo-199818247-\$.did.	US-PGP UB; USPAT; USOCR; DERWEN T	OR	ÔN	2007/02/12 14:35
S15	1	2000-594484.NRAN.	DERWEN T	OR	ON	2007/02/12 14:53
S16	76	S6 and @pd<"20030930"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/12 15:46
S17	318	"redundant packet"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/12 15:47
S18	318	"redundant packets"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/12 15:47

	i	· · · · · · · · · · · · · · · · · · ·		T	T	
S19	103	S18 and search\$4	US-PGP UB; USPAT; USOCR	OR .	ON	2007/02/12 15:48
S20	38	S19 and @pd<"20020930"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/12 15:49
S21	1704	709/250.ccls.	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 09:20
S22	519	S21 and database	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 09:20
S23	325	S22 and packet	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 09:21
S24	310	S23 and time	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 09:21
S25	100	S24 and filter	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 09:22
S26	103	S24 and @pd<"20020930"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 09:22
S27	110508 67	S25 @pd<"20020930"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 09:22
S28	33	S25 and @pd<"20020930"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 09:23
S29	103	S26 S28	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 09:31

S30	67	S29 and compar\$4	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 09:37
S31	9340	707/102	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 09:38
S32	1335	S31 and packet	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 09:38
S33	1289	S32 and time	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 09:38
S34	1024	S33 and database	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 09:38
S35	675	S34 and compar\$4	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 09:39
S36	153	S35 and @pd<"20020930"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 09:45
S37	32	S36 and redundant	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 09:45
S38	254633 1	redundant or multiple or identical	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 10:28
S39	219282	S38 and database	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 10:28
S40	420	"l29" and (search\$4 or query\$3)	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 10:29

S41	132710	S39 and (search\$4 or query\$3)	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 10:32
S42	27564	S41 and packet	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 10:33
S43	18257	S42 and compar\$3	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 10:34
S44	18066	S43 and time	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 10:34
S45	4499	S44 and @pd<"20020930"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 10:35
S46	713	S45 and age	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 10:35
S47	45	S46 and "hash function"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/13 10:35
S48	0	701/1.ccls	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/14 08:40
S49	2209	701/1.ccls.	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/14 08:40
S50	127	S49 and packet	US-PGP UB; USPAT; USOCR	OR	ON ,,	2007/02/14 08:42
S51	126	S50 and time	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/14 08:42

S52	25	S51 and @pd<"20020930"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/14 10:57
S53	13708	packet same (redunda\$4 or duplicate)	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/14 11:01
S54	79278	"tcp/ip" or tcp or ip and S53	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/14 11:00
S55	6884	("tcp/ip" or tcp or ip) and S53	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/14 11:00
S56	827	(packet same (redunda\$4 or duplicate))same delay	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/14 11:04
S57	. 196	S56 and @pd<"20020930"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/14 11:28
S58	85	S57 and (searc\$4 or quer\$3)	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/14 11:28
S59	4	(("7177978") or ("6359888") or ("6909124") or ("6473425")).PN.	US-PGP UB; USPAT; USOCR	OR .	OFF	2007/02/15 14:19
S60	5	(("7177978") or ("6359888") or ("6909724") or ("6473425") or ("6714553")).PN.	US-PGP UB; USPAT; USOCR	OR	OFF	2007/02/15 14:21
S61	6	(("7177978") or ("6359888") or ("6909724") or ("6473425") or ("6714553") or ("6954789")).PN.	US-PGP UB; USPAT; USOCR	OR	OFF	2007/02/15 14:21

S62	1	("6606315").PN.	US-PGP UB; USPAT; USOCR	OR	OFF	2007/02/16 08:52
S63	4	("5127000" "5491728" "5856972").PN. OR ("6359888").URPN.	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 09:01
S64	3300	709/238,242.ccls.	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 11:35
S65	25	S64 and "flow id"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 11:35
S66	0	S64 and "(flow or packet or message) id"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 10:55
S67	5	S65 and @pd<"20020930"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 10:56
S68	1042	S64 and @pd<"20020930"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 11:35
S69	0	S68 and "logging packets"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 12:34
S70	3008	370/390,235.ccls.	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 12:35
S71	1420	S70 and (compare or query or search)	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 12:35
S72	346	S71 and @pd<"20020930"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 12:40

S73	271	S72 and flow	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 12:59
S74	2324	(redundant or duplicate) near2 packet	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 13:00
S75	151399	(compar\$3 or match\$3) with (sequence or identifier or id)	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 13:01
S76	521	S74 and S75	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 13:01
S77	55	S74 same S75	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 13:01
S78	11	S77 and @pd<"20020930"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 13:06
S79	863	history with packet	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 13:06
S80	43	S79 and S74	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 13:06
S81	13	S80 and @pd<"20020930"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 13:09
S82	38614	rout\$3 with packet	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 13:10
S83	6969	S82 same flow	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 13:10

S84	1818	S83 and @pd<"20020930"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 13:10
S85	321	S84 and S75	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 13:11
S86	23	S85 and S74	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 13:20
S87	0	701/1.ccls	US-PGP UB; USPAT; USOCR	OR:	ON	2007/02/16 13:21
S88	0	S87 and packet with compare	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 13:22
S89	2211	701/1.ccls.	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 13:21
S90	. 5	S89 and packet with compare	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 13:23
S91	127	S89 and packet	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 13:23
S92	25	S91 and @pd<"20020930"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 13:25
S93	172	LonTalk	US-PGP UB; USPAT; USOCR	OR :	ON	2007/02/16 14:50
S94	172	S93 and pd<"20020930"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 14:50

S95	54	S93 and @pd<"20020930"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/16 14:51
S96	736136	storing and time	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/20 12:52
S97	86433	S96 and packet	US-PGP UB; USPAT; USOCR	OR	ON .	2007/02/20 11:58
S98	0	S97 and "370".ccls.	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/20 11:59
S99	0	S97 and "370.cls"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/20 11:59
S10 0	20740	S97 and "370".clas.	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/20 12:49
S10 1	6665	S100 and @pd<"20020930"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/20 12:50
S10 2	5527	storing adj time	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/20 12:52
S10 3	819	S102 and packet	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/20 12:52
S10 4	317	S103 and @pd<"20020930"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/20 12:53
\$10 5	0	S104 and "37".clas.	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/20 12:53

S10 6	79	S104 and "370".clas.	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/20 12:53
S10 7	3	(US-6473425-\$ or US-6359888-\$ or US-5602992-\$).did.	USPAT	OR	ON	2007/02/21 08:23
S10 8	0	S107 and rate	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/21 08:23
S10 9	,	S107 and update	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/21 08:24
S11 0	0	S107 and overwrite	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/21 08:27
S11 1	0	S107 and (refresh or amend or rejuvenate)	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/21 08:28
S11 2	12	(US-20020024973-\$ or US-20010015975-\$ or US-20020012364-\$ or US-20020003799-\$ or US-20010007570-\$).did. or (US-5602992-\$ or US-4516240-\$ or US-6275861-\$ or US-5856972-\$ or US-6353618-\$ or US-5127000-\$ or US-5115433-\$).did.	US-PGP UB; USPAT	OR	ON	2007/02/21 08:30
S11 3	8	S112 and rate	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/21 08:32
S11 4	4	S112 and update and time	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/21 09:03

S11 5	2	S107 and memory	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/21 09:03
S11 6	1	S115 and full	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/21 09:03
S11 7	12	(US-20020024973-\$ or US-20010015975-\$ or US-20020012364-\$ or US-20020003799-\$ or US-20010007570-\$).did. or (US-5602992-\$ or US-6275861-\$ or US-5856972-\$ or US-6353618-\$ or US-5127000-\$ or US-5115433-\$).did.	US-PGP UB; USPAT	OR	ON	2007/02/21 09:24
S11 8	0	S117 and (storage near full)	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/21 09:25
S11 9	4	S117 and full	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/21 09:25
S12 0	85809	"370".clas.	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/21 10:41
S12 1	269	S120 and (storage near4 full)	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/21 10:49
S12 2	139	S121 and @pd<"20020930"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/21 10:42
S12 3	7	S122 and (compare near4 time)	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/21 10:43

				.,		
S12 4	0	S120 and (storage SAME full) with (time near4 compare)	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/21 10:50
S12 5	4	S120 and (storage SAME full) same (time near4 compare)	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/21 10:57
S12 6	71	(storage SAME full) same (time near4 compare)	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/21 10:58
S12 7	53	S126 and @pd<"20020930"	US-PGP UB; USPAT; USOCR	OR	ON	2007/02/21 10:58
S12 8	. 2	(("5832233") or ("20020012364")).PN.	US-PGP UB; USPAT; USOCR	OR	OFF	2007/02/21 15:42
S12 9	0	(09/780036).APP.	USPAT; USOCR	OR	ON	2007/02/21 15:44